



**ProSystem *fx*<sup>®</sup>**  
**Engagement**  
Deployment Planning  
Guide  
September 2011

Copyright: 2011, CCH, a Wolters Kluwer business. All rights reserved. Material in this publication may not be reproduced or transmitted in any form or by any means, without prior written permission. Requests for that permission should be directed to:

CCH INCORPORATED  
20101 Hamilton Ave.  
Suite 200  
Torrance, CA 90502

The contents of this publication are believed to be accurate. However, responsibility cannot be assumed for the information contained herein, and the consequences resulting from the use thereof. Material in this publication is subject to change without notice.

This Deployment Planning Guide and the computer software it describes are designed to provide accurate and authoritative information in regards to the subject matter covered. They are distributed with the understanding that the publisher is not engaged in rendering legal, accounting, or other professional service. If legal advice or other expert assistance is required, the services of a competent professional person should be sought.

“ProSystem *fx*” is a registered trademark of CCH, a Wolters Kluwer business.

“Windows” is a registered trademark of Microsoft Corporation.

All other brand, product, or company names are trademarks or registered trademarks of their respective owners.

Printed in U.S.A

# Contents



<b>Chapter 1: Deployment Planning - Configuration</b>	<b>1</b>
Introduction.....	1
Scenario 1: Multi-Site Firm, WM Workstations, Distributed Office Servers.....	3
Scenario 2: Multi-Site Firm, WM Workstations, Centralized Office Servers.....	4
Scenario 3: Multi-Site Firm, WM via Terminal Services, Centralized Office Servers.....	5
Scenario 4: Single-Site Firm, WM Workstations.....	6
Scenario 5: Single-Site Firm, WM via Terminal Services.....	7
Other Scenarios.....	8
Summary of Deployment Scenario Recommendations.....	8
<b>Chapter 2: Deployment Planning - Servers</b>	<b>9</b>
Database Server Overview.....	9
Microsoft SQL Express vs. Microsoft SQL Server Standard or Enterprise.....	9
Microsoft SQL Server (x86) with AWE vs. Microsoft SQL Server (x64).....	9
File Servers Overview.....	10
SAN vs. File Server.....	10
Microsoft Windows Server.....	10
Hardware Considerations.....	10
Firm IT Staff Roles and Responsibilities.....	11
Virtualization.....	12
Engagement Office Server Recommendations.....	12
Engagement Office Server Worksheet.....	13
Terminal Servers.....	14
Engagement Terminal Services Client Overview.....	14
Terminal Services Client Recommendations.....	14
Terminal Services Client Worksheet.....	15
Terminal Services Database Overview.....	15
Terminal Services Database Recommendations.....	16
Terminal Services Database Worksheet.....	17
Summary.....	17
<b>Chapter 3: Deployment Planning - Workstations</b>	<b>18</b>
Overview.....	18
Microsoft Windows.....	18
Microsoft Office.....	18
Microsoft SQL Server.....	18
Hardware Considerations.....	19
Installation.....	19
Security.....	19
Use of File Server - Network Template Storage.....	19
Engagement Workpaper Management Recommendations.....	20
Engagement Workpaper Management Worksheet.....	21
<b>Chapter 4: Ongoing Monitoring and Upgrade Considerations</b>	<b>22</b>
Monitoring the Servers.....	22
Database Backup and Health Check.....	22

# Contents



Bin Maintenance.....	22
Disk Space Usage.....	23
Disk Fragmentation.....	23
<b>Appendix A: Database Administration</b> .....	<b>24</b>
Database Backup and Health Check.....	24
SQL Server Jobs.....	24
Database Statistics.....	25
Index Fragmentation.....	25
Transaction Log File Growth.....	25
Hardware Performance.....	25
Hardware Performance Indicators.....	26
CPU.....	26
Memory.....	26
Disk I/O.....	27
Tools Available for Hardware Performance Monitoring.....	27
Performance Monitor.....	27
Performance Dashboard Reports for SQL Server.....	27
Troubleshooting Performance Issues.....	28
SQL Server (x64) vs. SQL Server (x86) with AWE Enabled.....	28
SQL Server Editions.....	28
SQL Server Express Edition.....	29
SQL Server Standard Edition vs. Enterprise Edition.....	29
<b>Appendix B: Additional Resources</b> .....	<b>30</b>

# Chapter 1

## DEPLOYMENT PLANNING - CONFIGURATION

### Introduction

---

The purpose of this document is to identify the key factors that influence the performance, reliability, and functionality of the Engagement application. This deployment guideline will help ensure the highest possible level of reliability, sustainability, performance, predictability, and end-user usability.

The target audiences for Engagement deployment are the firm administrators and managers who make business decisions and evaluate technology and network infrastructure.

Firms that are new to Engagement, as well as firms which are upgrading an existing installation, must plan their deployment strategy well in advance of installation day.

Key decisions during planning may require answers to some of the following questions:

- What is the hardware capacity that is needed to support the anticipated peak usage? Is there a need for additional hardware?
- Does your firm prefer data in a central location or data distributed across multiple offices?
- Is there already an infrastructure established between multiple offices, such as a WAN connection? Is there a need for such an infrastructure?
- Does your firm prefer that users access Engagement through a Terminal Services Application Server? If so, is there already an Application Server in place?
- Does your firm prefer to use Citrix with Terminal Services?
- How centralized would your firm prefer to manage workstation software installation and administration?
- Is SQL Server Express adequate? If not, does your firm already have SQL Server Standard or Enterprise licenses? If so, does your firm require additional licenses?
- Should your firm set up a Virtual Private Network?
- What roles and skill sets are necessary to deploy, support, and maintain Engagement?

This planning guide will provide some general guidance to new and existing customers in answering these questions and many more.

Chapter 1 describes five common deployment scenarios for Engagement Workpaper Management (WM) and the associated Office Servers:

- **Scenario 1.** Multi-Site Firm, WM Workstations, Distributed Office Servers
- **Scenario 2.** Multi-Site Firm, WM Workstations, Centralized Office Servers
- **Scenario 3.** Multi-Site Firm, WM via Terminal Services, Centralized Office Servers
- **Scenario 4.** Single-Site Firm, WM Workstations, Distributed Office Servers
- **Scenario 5.** Single-Site Firm, WM via Terminal Services

Subsequent chapters address the details of Server, Network, and Workstations deployment applicable to the scenarios above.

Engagement Office Servers host three basic categories of data:

- **Admin data.** Firm information, staff properties and staff rights, licensing information, and client information
- **Central File Room data.** Binders, workpaper properties, workpaper files, and notes
- **Central File Room workpaper files**

Engagement WM Workstations and WM Terminal Servers also host three basic categories of data:

- **Admin data.** Firm information, staff properties and staff rights, licensing information, and client information
- **Local File Room data.** Binders, workpaper properties, workpaper files, and notes
- **Local File Room workpaper files**

The data and files are synchronized between Office Servers and the WM Workstations or WM Terminal Servers.

## Scenario 1: Multi-Site Firm, WM Workstations, Distributed Office Servers

The first scenario is a multi-site firm that has deployed a “Main” Office Server at the firm’s main site and a “Secondary” Office Server at the other sites. The Central File Rooms are thus “distributed” across the firm. At each site, users run Workpaper Management on their WM workstations and synchronize binders between Local File Rooms (on workstations) and Central File Rooms (on servers) via a high-speed Local Area Network (LAN).

While this configuration maximizes the speed at which binders are synchronized, synchronization between offices is slower in the absence of a Wide Area Network (WAN). However, WAN synchronizations are still significantly slower than LAN synchronizations.




Figure 1 - Multi-Site Firm, WM Workstations, Distributed Office Servers

Optionally, Office Server performance is optimized by storing SQL database files and workpaper files on a SAN device connected to the server with a fiber optic cable.

If an optional Virtual Private Network (VPN) is configured at a site, remote users may connect to synchronize.

## Scenario 2: Multi-Site Firm, WM Workstations, Centralized Office Servers

In the second scenario, there are also multiple sites, but only one site has an Office Server that is shared by all users at all sites.

This scenario minimizes server costs by eliminating the need for servers at all sites, except the main site. Because Workpaper Management is running on workstations, the server is stressed only by synchronization. Because binder synchronization typically occurs between sites, this configuration is most suitable when those sites are connected through a WAN.




Figure 2 - Multi-Site Firm, WM Workstations, Centralized Office Servers



## Scenario 3: Multi-Site Firm, WM via Terminal Services, Centralized Office Servers

The final multi-site configuration uses Terminal Services to provide Workpaper Management functionality to users. This requires an adequate investment in server hardware and software; however, the bandwidth requirement between offices is less significant than with Scenario 2. Usually the Terminal Services Database Module is installed on the same machine as the Administrator Module. In some cases, to boost performance it is necessary to split the installation of the Administrator module and the Terminal Services Database module.




Figure 3 - Multi-Site Firm, WM via Terminal Services, Centralized Office Servers

## Scenario 4: Single-Site Firm, WM Workstations

The single-site scenario for WM Workstations is identical to Scenario 1, but simpler due to the absence of secondary sites.




Figure 4- Single-Site Firm, WM Workstations

## Scenario 5: Single-Site Firm, WM via Terminal Services

The single-site scenario for Terminal Services is identical to Scenario 3, but simpler due to the absence of secondary sites.




Figure 5 - Single-Site Firm, WM via Terminal Services

## Other Scenarios

If none of the listed scenarios is adequate, then all parties involved need to work together to develop a sustainable, predictable, and reliable solution.

## Summary of Deployment Scenario Recommendations

Deployment Configuration	Multiple-Site Firm			Single-Site Firm	
	WM Workstations Distributed Office Servers	WM Workstations Centralized Office Server(s)	WM via Terminal Services Centralized Office Server(s)	WM Workstations Centralized Office Server(s)	WM via Terminal Services Centralized Office Server(s)
Main Office Server - central site	✓	✓	✓	✓	✓
Secondary Office Servers - central site	~	~	~	~	~
Secondary Office Servers - other sites	✓	n/a	n/a	n/a	n/a
WAN for Admin synchronization	✓	n/a	n/a	n/a	n/a
WAN for remote binder synchronization	~	✓	n/a	n/a	n/a
VPN for remote Terminal Services	n/a	n/a	~	n/a	~
VPN for remote binder synchronization	✓	✓	n/a	✓	n/a
WLAN (Wireless LAN) for workstations	~	~	~	~	~

Legend	
✓	Recommended
~	Optional
n/a	Not Applicable

## Chapter 2

# DEPLOYMENT PLANNING - SERVERS

The main types of servers that are implemented with Engagement are a Database Server, a File Server, and an optional Terminal Server. Key factors in deployment of these servers include the Microsoft Windows version, available RAM, number of CPUs, Microsoft SQL Server edition, and the roles and responsibilities of the IT staff supporting these servers. A final consideration is whether to have a File Server or a SAN device. Some of these considerations vary considerably based on the firm size and the number of users. Please see the chart in *Engagement Office Server Recommendations* on page 12 for recommendations.

## Database Server Overview

---

Microsoft SQL Server is the database engine used by Engagement. In this section, we describe some of the factors in deciding how to deploy SQL Server with Engagement.

### Microsoft SQL Express vs. Microsoft SQL Server Standard or Enterprise

Microsoft SQL Express is installed and set up with little effort by the firm, but it has limited resources and is not recommended for use with more robust environments. For recommendations on specific environments, please see the chart in *Engagement Office Server Recommendations* on page 12. Therefore, Microsoft SQL Server Standard or Enterprise editions are recommended as the best choice for deploying SQL Server. See *SQL Server Express Edition* on page 29 in Appendix A for more information on this topic.

### Microsoft SQL Server (x86) with AWE vs. Microsoft SQL Server (x64)

Microsoft SQL Server (x86) only supports 2 GB of RAM by default. This is due to the 4 GB of virtual address space limitation of SQL Server 32-bit. The x64 version of Microsoft SQL server does not have this limitation. If for any reason there is a constraint that prevents installing Microsoft SQL Server (x64), it is still possible for Microsoft SQL Server (x86) to utilize more than 2 GB of RAM by enabling the AWE option. However, the maximum RAM SQL utilizes with AWE enabled depends on how much memory is supported by the corresponding operating system that is running SQL Server.

Due to the limitations and complexity of implementing AWE, it is recommended that Microsoft SQL Server (x64) be installed for Enterprise solutions. See *SQL Server (x64) vs. SQL Server (x86) with AWE Enabled* on page 28 in Appendix A for additional information for the firm DBA on this topic.

## File Servers Overview

---

Implementing a File Server may assist with space usage, redundancy, and in some cases performance. Engagement allows the physical files for a Central File Room on a network location. A common device used for this implementation is a SAN device. Both of these hardware choices are optional but have many advantages if implemented.

### SAN vs. File Server

Both the SAN device and the File Server provide redundancy and help with disk space usage. SAN devices typically provide better performance than the File Server when connected via a fiber channel. For this reason, a SAN device with fiber channel is recommended for Enterprise solutions.

### SQL

The SAN device is used to store the SQL Databases and physical files for the Central File Room (CFR) to minimize the latency created from disk I/O with these files. The SAN device must be configured and recognized as a local drive for Microsoft SQL Server to function correctly.

### Physical Files

For physical file storage of the CFR workpapers, if the drive is configured as a local drive, similar to the configuration for using the SAN device as previously mentioned, a UNC path is not necessary. Physical files that are located on a File Server network require a UNC path.

## Microsoft Windows Server

---

While still fully supported, Microsoft Windows Server 2003 is an aging product and Mainstream support from Microsoft for this product ended on 7/13/10. Microsoft Windows Server 2008 Standard Edition (x86) is limited to only 4 GB of RAM. The Enterprise Edition supports up to 64 GB of RAM. Microsoft Windows Server 2008 R2 does not have an (x86) version and the Standard edition has a limit of 32 GB of RAM. PAE technology allows for the (x86) versions to have large memory support and is enabled after a few steps. Microsoft will not release another (x86) server version of a server operating system.

For these reasons, we recommend either Microsoft Windows Server 2008 (x64) or Microsoft Windows Server 2008 R2 (x64) as the base operating system for all servers. The following three links have more information from Microsoft on [RAM Limitations](#), [PAE](#), and [64-Bit Computing](#).

 **Note:** Microsoft Small Business server is not supported.

## Hardware Considerations

---

RAM, CPUs (or cores on the CPUs), and the file storage have the biggest impact on performance. For the database server, the highest performance is achieved when RAM is equal to the size of all the databases simultaneously loaded into memory to avoid swapping from the hard disk. However, this is not always practical. A Microsoft whitepaper on best practices for Microsoft SQL Server 2008 R2 data warehousing is located [here](#). The whitepaper explains, in some cases, only 20% of the data

is being accessed. The exact minimum amount of RAM will vary depending on firm usage. The recommendations in this guide are for optimal performance.

The base recommendation for the larger more robust servers is to have anywhere from 32 GB of RAM to 64 GB of RAM. For application servers, Engagement, Microsoft SQL Server, and Microsoft Office are used. The recommendation amount of RAM for application servers is 32 GB of RAM and a maximum of 20 users per server.

Indications of a bottleneck of CPU utilization are when CPU utilization is constantly over 80% and servers with high usage are operating with less than 24 cores. In addition, x64 processors are required to install the x64 versions of Microsoft Windows Server 2008 and Windows Server 2008 R2 as previously recommended.

Too much disk I/O is expensive, so preventing or minimizing the impact of when heavy disk I/O actually does happen is important. SAN devices are a good solution for this aspect and are recommended for systems with over 250 connected users. More details on monitoring the hardware and performance considerations are in *Chapter 4: Ongoing Monitoring and Upgrade Considerations* on page 22 and *Hardware Performance* on page 25 in Appendix A.

## Firm IT Staff Roles and Responsibilities

---

Certain roles and skill sets within the firm are necessary for Engagement to perform optimally:

- **System Engineer for Windows Servers.** Assist in the design, testing, and implementation stages of Windows Projects. This role should have working knowledge of Microsoft Windows operating systems, Active Directory, DNS, Terminal Services and Group Policy.
- **Network Engineer.** Install, configure, and maintain network services and devices.
- **SQL DBA or Database Administrator.** Install, configure, and maintain the machines with Microsoft SQL Server. This would include monitoring the performance, making any tuning adjustments, and performing backup processes. *Chapter 4: Ongoing Monitoring and Upgrade Considerations* on page 22 and *Appendix A: Database Administration* on page 24 include specific details on this role.
- **Storage Management Engineer.** Plan, setup, and administer file servers and SAN devices.
- **Security Analyst.** Implement and maintain the firm's security policies, which include Engagement, the services, SQL, Firewalls, and ports.
- **Deskside Technician.** Install Engagement on laptops and workstations, diagnose end user issues, and establish network connectivity.
- **Desktop Engineer.** Share some of the same responsibilities as the Deskside Technician, except this role is responsible for physically setting up the system. The Desktop Engineer may also test hardware and software to see if it fits the firm's needs. This role would also be responsible for performing an Active Directory Push of the installation.

These roles help design the initial setup and provide ongoing maintenance of the environment. Staff with these skills would do any troubleshooting or performance tuning. The configuration and complexity of your firm's network and database structures will determine the types of roles and skill levels required. A single IT staff may perform one or more of the roles depending on their skill set.

## Virtualization

The virtual machine must meet the same system requirements for Engagement as a physical machine. Please consult with your virtualization vendor for specific recommendations.

We do not recommend virtualization of SQL server. This is the best practice we adhere to in our own production data center environment. We use virtual SQL servers in our development and test environments but never in a production environment.

## Engagement Office Server Recommendations

This chart contains recommendations in regards to deploying Engagement Office Servers, also known as the Administrator module. The Office Servers are both Database Servers and File Servers. This chart shows the different considerations, including SQL Server, File Storage, and architecture.

	Office Servers		
	200+ Users per Office Server	41 - 200 Users per Office Server	< 40 Users per Office Server
<b>Office Servers</b>			
<b>Hardware</b>			
RAM	32+ GB	8-32 GB	4-8 GB
Processors - total cores	8+ cores	2-8 cores	2-4 cores
x64 processor	√		
x86 processor	X	~	
<b>Microsoft Windows</b>			
Microsoft Windows Server 2008 (R2)	√		
Microsoft Windows Server 2008	√		
Microsoft Windows Server 2003	X		
Microsoft Small Business Server	X		
<b>Microsoft SQL Server</b>			
Microsoft SQL Server 2008 Enterprise	√	~	~
Microsoft SQL Server 2008 Standard	√		
Microsoft SQL Server 2008 Express	X	~	
Microsoft SQL Server 2005	X		
x64 Editions	√		
x86 Editions	X	~	
<b>Storage</b>			
SAN storage for SQL database files	√	√	~
SAN storage for CFR workpapers	√	√	~
LAN file server for CFR workpapers	X	~	
<b>Legend</b>			
√	Recommended		
~	Optional		
X	Not Recommended		



## Engagement Office Server Worksheet

The following worksheet provides recommendations for the installation of the Office Servers, including some of the optional components from the chart on the previous page.

# of Servers	Recommendations	Firm Choice
# of Servers	1+	
<b>Hardware</b>		
Amount of Ram	4-32 GBs	
# of Processor Cores	2-8 Cores	
Architecture Chosen	x64	
<b>Microsoft Windows</b>		
Version and Edition of Windows Chosen	Microsoft Windows Server 2008 or Microsoft Windows Server 2008 R2	
Terminal Services Database Server Part of Domain	Yes/No	
<b>Microsoft SQL Server</b>		
Version of SQL Server Chosen	Microsoft SQL Server 2008	
Edition of SQL Chosen	Express/Standard/Enterprise	
Architecture Chosen	x86 or x64	
<b>File Storage</b>		
SAN Device	Yes/No	
Rights to Folders Setup	Yes/No	
Part of Domain	Yes/No	

## Terminal Servers

Terminal Servers, although optional, allow for the use of the application server / database server topology. A few typical scenarios are generally chosen for this section. Refer to *Chapter 1: Deployment Planning - Configuration* on page 1 for more details on Terminal Services, more specifically *Scenario 3: Multi-Site Firm, WM via Terminal Services, Centralized Office Servers* on page 5 and *Scenario 5: Single-Site Firm, WM via Terminal Services* on page 7.

## Engagement Terminal Services Client Overview

Application servers, dedicated for application files and no user data, are sometimes part of a farm. Engagement will install on any machine with the Terminal Services Role installed. These machines link to the database server with Engagement Terminal Services Database. The Terminal Services Client Module requires that Microsoft Office already be installed on the terminal server or Citrix box.

## Terminal Services Client Recommendations

This chart contains recommendations in regards to deploying Engagement on Terminal Services. We start with the recommendation of 20 users per Terminal Server, and then show recommendations for operating systems, Microsoft Office, and hardware. Please see *Microsoft Office* on page 18 in Chapter 3 for more details on the recommendations for Microsoft Office.

**Terminal Services Application Servers**

	200+ Users per TS Farm	41 - 200 Users per TS Farm	< 40 Users per TS Farm
<b>Peak Users</b>			
Application servers	10+	2-15	1-2
Peak users per application server	20 users	10-20 Users	
<b>Hardware</b>			
RAM	16+ GB	8-16 GB	
Processors - total cores	8-16 cores	4-8 cores	
x64 processor	✓		
x86 processor		X	
<b>Microsoft Windows</b>			
Microsoft Windows Server 2008 (R2)	✓		
Microsoft Windows Server 2008	✓		
Microsoft Windows Server 2003		X	
Microsoft Small Business Server		X	
<b>Microsoft Office</b>			
Microsoft Office 2010	✓		
Microsoft Office 2007	✓		
Microsoft Office 2003		X	

**Legend**

✓	Recommended
~	Optional
X	Not Recommended

## Terminal Services Client Worksheet

---

The following worksheet provides recommendations for the installation of Engagement Terminal Services Client, including some of the optional components from the chart on the previous page.

Peak Users	Recommendations	Firm Choice
# of Application Servers	NA	
# of Peak Users/Server	No more than 20	
<b>Hardware</b>		
Amount of Ram	8-16+ GBs	
# of Processor Cores	4-16 Cores	
Architecture Chosen	x64	
<b>Microsoft Windows</b>		
Version and Edition of Windows Chosen	Microsoft Windows Server 2008 or Microsoft Windows Server 2008 R2	
Terminal Services Database Server Part of Domain	Yes/No	
<b>Microsoft Office Version</b>		
Version of Microsoft Office Chosen	Microsoft Office 2010 or Microsoft Office 2007	


## Terminal Services Database Overview

---

Microsoft SQL Server and the prerequisites for SQL are installed first on these servers. This type of server is considered both a database server and a File Server as it contains both the physical files, such as Microsoft Excel and Microsoft Word, and the Engagement database files.

# Terminal Services Database Recommendations

This chart contains recommendations in regards to deploying the Engagement Terminal Services Database. This module is used in conjunction with one or many Engagement Terminal Services Client installations. The recommendations are for Microsoft Windows, Microsoft SQL Server, file storage, and hardware.

			
<b>Terminal Services App Database Servers</b>			
<b># of Servers</b>			
# of SQL Servers	1		
<b>Hardware</b>			
RAM	32+ GB	8-32 GB	4-8 GB
Processors - total cores	8+ cores	4-8 cores	2-4 cores
x64 processor	✓		
x86 processor	X		
<b>Microsoft Windows</b>			
Microsoft Windows Server 2008 (R2)	✓		
Microsoft Windows Server 2008	✓		
Microsoft Windows Server 2003	X		
Microsoft Small Business Server	X		
<b>Microsoft SQL Server</b>			
Microsoft SQL Server 2008 Enterprise	✓	✓	~
Microsoft SQL Server 2008 Standard	~	✓	✓
Microsoft SQL Server 2008 Express	X		~
Microsoft SQL Server 2005	X		
x64 Editions	✓		
x86 Editions	X		~
<b>File Storage</b>			
SAN storage for SQL Server	✓	✓	~

**Legend**

✓	Recommended
~	Optional
X	Not Recommended

## Terminal Services Database Worksheet

---

The following worksheet provides recommendations for the installation of the Engagement Terminal Services Database, including some of the optional components from the chart on the previous page.

Hardware	
Architecture Chosen	x64
Microsoft Windows	
Version and Edition of Windows Chosen	Microsoft Windows Server 2008 or Microsoft Windows Server 2008 R2
Terminal Services Database Server Part of Domain	Yes / No
Microsoft SQL Server	
Version of SQL Server Chosen	Microsoft SQL Server 2008
Edition of SQL Chosen	Express/Standard/Enterprise
Architecture Chosen	x86 or x64
File Storage	
SAN Device	Yes/No
Rights to Folders Setup	Yes/No
Part of Domain	Yes/No

---

## Summary

---

Various hardware and software choices are made prior to deploying Engagement. The server choices include operating system, amount of RAM, number of processors, and infrastructure. The choices are based on the role of the server as well as the usage. Several recommendations exist as a starting point, such as 64-bit operating systems, the use of Microsoft Standard or Enterprise Edition of SQL Server, and SAN devices for larger firms. As stated in *Chapter 1: Deployment Planning - Configuration* on page 1, a few scenarios are generally chosen based on the firm's needs.

## Chapter 3

# DEPLOYMENT PLANNING - WORK-STATIONS

## Overview

---

In an Enterprise environment, deploying Engagement means deploying the application to possibly hundreds of workstations. This factor alone warrants planning the deployment of these workstations. This chapter also covers Microsoft Windows, Microsoft Office, Microsoft SQL Server, installation, security, use of a File Server, hardware considerations, and the roles of the IT staff.

## Microsoft Windows

---

While still fully supported within Engagement, Microsoft Windows XP is an aging product that does not provide many of the new features and benefits of Microsoft Windows 7. Mainstream support for Windows XP ended on 04/14/2009. Windows 7 is recommended for the operating system choice on workstations. A few of Microsoft Windows 7 features include Bitlocker, performance improvements over Vista, and (x64) support for larger amounts of memory. See the Microsoft Windows 7 [site](#) for more information.

## Microsoft Office

---

While still fully supported within Engagement, Microsoft Office 2003 is an aging product that does not provide many of the new features and benefits of Microsoft Office 2007 and Microsoft Office 2010. To take advantage of features, such as the latest Office task-oriented ribbon interface, greater document capacity, and new customization features, we recommend customers upgrade to Microsoft Office 2007 or Microsoft Office 2010. In addition to the new Microsoft Office features, Knowledge Coach requires Microsoft Office 2007 or Microsoft Office 2010. Also, mainstream support for Microsoft Office 2003 ended on 04/14/2009. Please see the Microsoft Office [site](#) for more information.

## Microsoft SQL Server

---

For workstations, Microsoft SQL Express is recommended. Microsoft Standard or Enterprise edition are only necessary for servers. Microsoft SQL Server 2008 is recommended.

## Hardware Considerations

---

RAM, CPUs (or cores on the CPUs), and the hard disk have the biggest impact on performance. As stated in the Office Server section of Chapter 2, Engagement uses Microsoft Office and Microsoft SQL Server, so the system needs enough memory to run all of these applications along with other applications used by your firm. The recommendation for a workstation is 4 GB of RAM.

An indication of a possible hardware bottleneck is when CPU utilization is constantly over 80%. A dual- or quad-core processor is recommended. More details on monitoring the hardware and performance considerations are in *Chapter 4: Ongoing Monitoring and Upgrade Considerations* on page 22 and *Hardware Performance* on page 25 in Appendix A.

## Installation

---

Engagement has several prerequisites before installation. The most important of these is a Microsoft SQL Server. For workstations, Microsoft SQL Express is easily installed from the Engagement DVD and is already configured through the installer. Microsoft SQL Express is not the only requirement, however. The ProSystem *fx* Engagement Installation Guide lists what other components are required prior to installing Engagement.

### Active Directory Push

Once all of the prerequisites are installed on the workstations, Active Directory can be used to push out the Engagement MSI installer. By using this method, possibly several hundred machines can be updated at the same time. Refer to the ProSystem *fx* Engagement Installation Guide for more detailed instructions.

### Security


Encryption, user rights, firewalls, virus scanning, script blocking, and Windows service packs are common forms of protection against security breaches. Microsoft Office also has its own set of security restrictions. If the restrictions on this software are not managed correctly, some functionality inside Engagement is blocked. The ProSystem *fx* Installation Guide under Appendix C has detailed information on these concerns.

### Use of File Server - Network Template Storage

As previously stated in Chapter 2, a File Server is beneficial to your firm. Engagement utilizes several different types of templates. These templates are used for the creation of new binders, workpapers, account groupings, and trial balances. These templates are created and stored locally by default but are sometimes placed on a network location, if desired. If these templates are moved to the network, they are only accessible when the workstations have access to that location. If the workstations leave the office, they will need the templates locally.

## Engagement Workpaper Management Recommendations

This chart contains recommendations in regards to deploying the Engagement Workpaper Management, including recommendation on hardware, Microsoft Office, Microsoft Windows, and Microsoft SQL Server.



Workstations	
<b>Hardware</b>	
RAM	4+ GB
Processors - total cores	2+
x64 processor	✓
x86 processor	✓
<b>Microsoft Windows</b>	
Microsoft Windows 7	✓
Microsoft Windows Vista	X
Microsoft Windows XP	~
<b>Microsoft SQL Server</b>	
Microsoft SQL Server 2008 Express	✓
Microsoft SQL Server 2005 Express	X
<b>Microsoft Office</b>	
Microsoft Office 2010	✓
Microsoft Office 2007	✓
Microsoft Office 2003	X

Legend	
✓	Recommended
~	Optional
X	Not Recommended



## Engagement Workpaper Management Worksheet

---

The following worksheet includes considerations for deploying the workstations, also known as the Workpaper Management module.

Hardware	Recommendations	Firm Choice
Amount of Ram	4+ GBs	
# of Processor Cores	2+	
Architecture Chosen	x64 /x86	
<b>Microsoft Windows</b>		
Version and Edition of Windows Chosen	Windows 7 Professional or Windows XP Professional	
<b>Microsoft SQL Server</b>		
Version of SQL Server Chosen	Microsoft SQL Server 2008	
Edition of SQL Chosen	Express	
Architecture Chosen	x86	
<b>Microsoft Office Version</b>		
Version of Microsoft Office Chosen	Microsoft Office 2010 or Microsoft Office 2007	

## Chapter 4

# ONGOING MONITORING AND UPGRADE CONSIDERATIONS

## Monitoring the Servers

---

Monitoring the health of the machines using Engagement is essential to ensure the best performance is achieved and to determine when an upgrade is necessary. There are three basic areas to monitor, RAM usage, CPU usage, and disk I/O. Disk I/O is one of the slowest functions on a system and heavy disk I/O will affect performance. Several counters are setup to monitor the disk I/O. A SAN device with fiber channels is also used to help performance with heavy disk I/O.

RAM will contribute to disk I/O if there is memory pressure; monitoring the memory usage is recommended. Consider that Microsoft SQL Server is a memory intensive application and by default will use as much memory as the operating system will allow. The final consideration for hardware is the processor. If the usage is constantly over 80%, an upgrade might be necessary. Monitoring the process at the same time as the RAM is ideal.

Consider all of the topics in this Chapter to create a clear picture of future hardware and software requirements. The counters help determine if more RAM is needed, more processing power is needed, or if the disk is too slow. *Appendix A: Database Administration* on page 24 has some detailed information on exactly what to monitor and when to upgrade.

## Database Backup and Health Check

---

Data integrity to the firm is important and the Engagement Database Backup and Restore Utility assists the firm in this manner. The utility has a built-in health check for each of the SQL databases and will mark both the log file and the backup file with "Failed -" appended to the name in the case of an unsuccessful backup. The firm must create a Microsoft Windows scheduled task for this utility to perform these backups on a nightly basis. The utility will not back up the physical workpaper files. This is done by a separate task or 3rd party software. It is possible to use other backup techniques but Engagement Database Backup and Restore allows for single-binder restoration. *Database Backup and Health Check* on page 24 in Appendix A has more details on this topic.

## Bin Maintenance

---

By default, bin maintenance tasks are scheduled to run on a nightly basis. It is important to monitor the result of each run on a daily basis to make sure all steps are executed successfully. This will help to ensure sufficient database space is used in each bin and the database statistics are up-to-date. Pay special attention to the bin diagnostics report, which displays the first time an

administrator logs in to the Office Server after each nightly task is run. You can also view this report by selecting **Tools/Bin Diagnostic Report** in the Administrator module. It is recommended to avoid overlap among different Engagement nightly tasks, and between an Engagement nightly task and other nightly tasks, such as Windows updates.

## Disk Space Usage

---

Make sure the disk drives hosting the database files have sufficient disk space for the database files to grow. Checking the location of the physical files is also recommended. At minimum, both tasks should be performed on a weekly basis.

## Disk Fragmentation

---

Since disk fragmentation may have significant impact on performance, it is recommended to monitor the disk fragmentation on the hard drives hosting the Engagement SQL .mdf and .ldf files on a weekly basis, and if significant numbers of fragments are detected, defragmentation of the hard drive level should be performed.

## DATABASE ADMINISTRATION


As an important role for the Engagement software operation, the SQL DBA will be responsible for performing a list of tasks, either on a period-by-period basis or based on requests/needs. There are two types of SQL deployment that need to be closely monitored, the Office Server and the Citrix/Terminal Services SQL Server both of which are SQL Servers.


### Database Backup and Health Check

---

One of the most important tasks for a DBA is to perform successful database backups on a regular basis.

At the very minimum, a full backup and health check should be performed on every Office Server on a daily basis. The Engagement Backup and Restore Utility helps to make this easier and includes a built-in health check feature. The SQL DBA should create a nightly task to run the Engagement Backup and Restore Utility, ideally allocating a dedicated window on the server for this task to run. The SQL DBA should be monitoring the status of this task, reviewing the log of the utility on a daily basis to make sure a successful backup was performed, and ensuring all databases remain in optimal health. For large firms, as the number of bin databases grows larger, it may take a longer time to perform full backup on a nightly basis. Therefore, you may need to monitor this closely to find out if the current window allocated for backup is sufficient for the task to run. If not, reschedule the task for a different time when a longer window is available.

 **Important!** Make sure to save the backup files into a different drive other than the one hosting the database .mdf and .ldf files. If the files are on the same drive, a single point of disk failure could result in the loss of both the production drive and the backups.

 **Note:** The Database Backup and Restore Utility does not back up any of the Terminal Services Databases.

### SQL Server Jobs

---

By default, the SQL Agent for Engagement SQL instance is disabled. If for any reason this needs to be turned on and some SQL tasks need to be added, it is important to make sure these SQL tasks do not have significant impact either on the run time process during the day or any nightly tasks set to run for the Engagement databases.

## Database Statistics

---

Statistics update is essential to the performance of SQL Server. The update of statistics is part of the bin maintenance nightly tasks. It is recommended to monitor and make sure the update step is executed successfully on a daily basis to ensure the statistics are always up-to-date.

## Index Fragmentation

---

Index fragmentation is monitored by running the “Index Physical Statistics” report from Microsoft SQL Management studio. If it is determined some indexes are highly fragmented, it is recommended to perform an index rebuild or defragmentation based on the type of fragmentation during the weekend. Microsoft explains fragmentation [here](#).

## Transaction Log File Growth

---

The transaction log files, also known as .ldf files, are the files that track transactions during the data modification operations. As Engagement databases are created on the SQL instances, the corresponding .ldf files are set to not grow. It is recommended to keep monitoring these files on a weekly basis to make sure they do not grow to a significantly larger size or span over the hard drives. Typically, if the size of an .ldf file is larger than 1 GB, it is an indication the truncation process is not running properly. It is recommended to manually truncate the log and shrink the log file.

## Hardware Performance

---

It is important to know how the hardware is currently performing for Engagement operations. Since there are so many factors affecting the hardware performance, it is good practice to monitor performance of the main resources to determine if there is any bottleneck on the current hardware. Monitoring the following three areas is ideal:

- CPU
- Memory
- Disk I/O

In some cases, it is necessary to monitor network utilization and performance.

It is recommended to monitor the hardware performance on a monthly basis. It is also a best practice to monitor performance for a period of time, for instance, from morning to evening, or during peak hours of the day. The following sections include details on what to measure and the tools that are available.

## Hardware Performance Indicators

---

### CPU

Two indicators help to determine whether there is any CPU pressure:

- **% CPU time**. If CPU usage is frequently above 80%, it is an indication of CPU pressure. This is an indication that a hardware upgrade of the CPU may increase performance. To monitor this, set up a trace in Performance Monitor to capture the value in the **Processor:% Processor Time** counter by sampling the data every 10 seconds for peak hours or for the entire day.
- **Number of Tasks waiting to run**. This number indicates how many runnable tasks are waiting for the CPU. A frequent observation of a non-zero value of this number or a high value is an indication of a CPU bottleneck. To obtain the value, reference the result under the “runnable\_tasks\_count” column from the following query:

```
select
    scheduler_id,
    current_tasks_count,
    runnable_tasks_count
from
    sys.dm_os_schedulers
where
    scheduler_id < 255
```

To monitor this, you may write a script to run this query repeatedly every 10 seconds in Microsoft SQL Management Studio and save the results in a table.

This value is also available under the column “SOS\_SCHEDULER\_YIELD” in the Performance Dashboard report - Wait category.

### Memory

The following three indicators help to determine whether there is memory pressure:

- **Buffer Cache Hit Ratio**. This value indicates when SQL needs to visit a particular page of data and determine how often it finds the data in the cache. If this value is frequently below 99%, this is an indication that a hardware upgrade of the memory may increase performance. This value is obtained from Performance monitor > SQL Server: **Buffer Manager** object > **Buffer Cache Hit Ratio** counter. It is also available in Performance Dashboard.
- **Page Life Expectancy**. This value indicates how long a page stays in memory, if it often below 300, then it indicates more memory could help to improve the performance. This value is available in Performance monitor > SQL Server: **Buffer Manager** object > **Page Life Expectancy** counter.
- **Page reads/Sec**. This number indicates the frequency for which the SQL Server needs to go to disk to visit a desired page data. If this value goes above 80, it is an indication of memory

pressure. This number is obtained from Performance monitor > SQL Server: **Buffer Manager** object > **Page reads/Sec** counter.

To monitor the memory pressure, simply add the above counters to the same task as stated above with the CPU Counters.

## Disk I/O

The following three indicators help to determine the health of disk I/O:

- **Ave Disk Sec/Read**. This value indicates how long it takes to fulfill one read request by the hard drive. The ideal value is 0.005 second. A value under 0.010 second is also acceptable. However, if it is frequent to see more than 0.010 second in this counter, it is an indication the hard drive throughput is not sufficient. This value is available in **Performance Monitor > PhysicalDisk Object > Ave Disk Sec/Read** counter. The overall statistics values are also available in Performance Dashboard.
- **Ave Disk Sec/Write**. This value indicates how long it takes to fulfill one write request by the hard drive. The ideal value is 0.005 second. A value under 0.010 second is also acceptable. However, if it is frequent to see more than 0.010 second in this counter, it is an indication the hard drive throughput is not sufficient. This value is available in **Performance Monitor > PhysicalDisk Object > Ave Disk Sec/Write** counter. The overall statistics values are also available in Performance Dashboard.
- **Ave Disk Queue Length**. This value indicates how many tasks are waiting for the hard drive to perform a disk I/O. A frequent observation of values higher than 1 is an indication of I/O pressure. This value is available as a counter in **Performance Monitor > PhysicalDisk Object > Avg. Disk Queue Length**. The overall statistics values are also available in Performance Dashboard.

To monitor the disk I/O, simply add the above counters to the same task as stated above with the CPU Counters.

## Tools Available for Hardware Performance Monitoring

---

### Performance Monitor

This tool is ideal for contiguous monitoring of resources for a period of time, for instance, during peak hours or for an entire day of operations. Since scheduled tasks are used to collect data on an interval basis, the performance monitor helps to provide the SQL DBA a good indication of how the hardware resources are utilized. All the desired indicators are available as counters under different categories.

### Performance Dashboard Reports for SQL Server

This tool provides a quick overview on performance-related facts for the current moment. It requires no set up and is easy to use. It is useful to help diagnose a known performance issue on the SQL server and help to analyze the hardware performance bottleneck for a given moment. It will also provide data to help analyze software bottlenecks, such as blocking.

## Troubleshooting Performance Issues

---

To diagnose a known performance issue, do the following:

1. Try to reproduce the issue. If the issue is reproduced, as the process is run on the user's machine, launch the performance Dashboard report from SQL management studio.
2. Detect if there is any CPU bottleneck.
3. Detect if there is any memory pressure present.
4. Detect if there is any disk I/O bottleneck.
5. Detect if there is any blocking present - either software or hardware.
6. Document any findings. If it is determined there are hardware-related issues, upgrade the corresponding resource, if possible; otherwise, contact Engagement support for more help.

## SQL Server (x64) vs. SQL Server (x86) with AWE Enabled

---

A 64-bit server operating system is recommended for use in conjunction with the 64-bit editions of either Microsoft SQL Server Standard Edition or Enterprise Edition. This combination can fully utilize available RAM on the server, and in the event that more RAM is added, 64-bit editions of Microsoft SQL Server and Windows Server 2008 operating systems will take full advantage of the additional resources. Microsoft SQL Server (x86) only supports 2 GB of RAM by default. This is due to a limit of 4 GB of virtual address space of SQL Server (x86).

If for any reason, there is a constraint preventing the use of Microsoft SQL Server (x64), it is still possible for Microsoft SQL Server (x86) to utilize more than 2 GB of RAM by enabling the AWE option. However, the maximum RAM SQL utilizes with AWE enabled depends on how much memory is supported by the corresponding operating system that is running SQL Server. For instance, if SQL Server is running on Microsoft SQL Server (x86) of Windows Server 2008 Enterprise Edition (x86), since this operating system only supports up to 64 GB of RAM, the maximum memory SQL utilizes is no more than 62 GB. For information about the supported size of memory for different operating systems, please refer to the corresponding hyperlink in the following document:

<http://msdn.microsoft.com/en-us/library/aa366778%28v=vs.85%29.aspx>

To enable AWE on the Microsoft SQL Server (x86), please refer to following document:

<http://msdn.microsoft.com/en-us/library/ms190961.aspx>

## SQL Server Editions

---

Consider the following factors when choosing a SQL Server edition:

- Number of concurrent users
- Overall data volume on the SQL server
- Number of processors to support

Other factors to consider:

- Capability of online re-indexing
- Performance with parallel processing features



## SQL Server Express Edition

Due to the limit on RAM (1 GB) and CPU (1 Processor), this edition is not appropriate for a Terminal Services environment.

## SQL Server Standard Edition vs. Enterprise Edition

Microsoft SQL Server Standard Edition and Enterprise Edition can take full advantage of the RAM available to the corresponding operating system. However, Standard Edition only supports up to 4 processors. The necessity of the Enterprise Edition of Microsoft SQL Server is determined by the number of processors installed in the SQL Server. If it is determined more than 4 processors are necessary for a particular environment, Enterprise Edition is the only option for the server. Determining whether additional processors are necessary is accomplished by monitoring resource usage on the current hardware configuration and then deciding whether additional processors would improve the performance of the server. For more details on this topic, see *Hardware Performance Indicators* on page 26 in this appendix.

Engagement databases do not fully leverage the capabilities of the Enterprise Edition of Microsoft SQL Server, but additional features in this edition such as online re-indexing and parallel processing capability will improve performance over a sustained period of time. Please consider these factors when choosing between SQL editions.

For a detailed comparison between the available editions of Microsoft SQL Server, please refer to the following document link:

<http://www.microsoft.com/sqlserver/2008/en/us/editions-compare.aspx>

## Appendix B

### ADDITIONAL RESOURCES

Additional resources that will help with the evaluation and deployment of Engagement:

#### Engagement Documentation

- [ProSystem fx Engagement Installation Guide](#)
- [ProSystem fx Engagement Customer Support](#)

#### Training

- [Training and Consulting](#)

#### Microsoft

- [Terminal Services Deployment Guide](#)
- [Product Life Cycle](#)
- [Large Memory Support for Windows Server 2003](#)
- [Microsoft 64-Bit Computing](#)
- [Infrastructure Planning and Design - SQL Server](#)
- [Infrastructure Planning and Design - Terminal Services](#)
- [SQL Server 2008 R2 - Best Practices for Data Warehousing](#)
- [SQL Server 2005 Technical Articles - Storage Top 10 Best Practices](#)
- [Identifying SQL Server 2005 Performance Issues](#)
- [Microsoft SQL Server Edition Comparison](#)
- [Troubleshooting Performance Problems in SQL Server 2008](#)