#### Suggested ScandALL PRO Settings for ProSystem *fx*<sup>®</sup> Scan

1. Click the Batch Scan Setting icon to set up a scanning profile specifically for ProSystem  $fx^{\otimes}$  Scan.



2. Click the Add button



Page 1 of 12

3. Enter a Job Profile Name you can easily identify then click the Scan tab.

Profile Editor	×
General Scan File format and Name scheme Document separation	n Filter Linking
Job Profile Name ProSystem fx Scan	
Description :	*
Protect with a password	<b>v</b>
Profile Type	
All User     Current User Only	
Image Property Description	
File format:       Tagged Image File Format (*tf)         Color Format:       Use Detail Scanner Settings         File compression format:       Follow software-determined compr         Pixel Type:       Use Detail Scanner Settings         Paper Size:       Use Detail Scanner Settings         Scan Type:       Use Detail Scanner Settings         Resolution:       Use Detail Scanner Settings	ession format
	Ŧ
ОК Са	ancel Apply Help

4. Select the Scanner and check the boxes as shown below.

Parameters       Image: Parameters         Pixel Type :       Use Detail Scanner Settings         Paper Size :       Use Detail Scanner Settings         Scan Type :       Use Detail Scanner Settings         Resolution :       Use Detail Scanner Settings         Detail Scanner Settings       Image: Parameters         Use Detail Scanner Settings       Image: Parameters         Use Detail Scanner Settings       Image: Parameters         Detail Scanner Settings       Image: Parameters	Select [3026] #2
Prable continuous scanning Close dialog after scanning with the Scan button Output is play scanned images immediately after scanning Output is scanning Minimize the main window Mark pages when error is detected by Automatic Image Quality Checker (Depend on Hardware) Mark pages when multifeed is detected (Depend on Hardware)	

5. Click on the Detailed Scanner Settings button.

Profile Editor	1788.0	23
General Scan File fo	ormat and Name scheme Document separation Filter	Linking
Scanner : FUJITS	SU fi-6130Z	Select Scanner
Parameters		
Pixel Type :	Use Detail Scanner Settings	<b>_</b>
Paper Size :	Use Detail Scanner Settings	▼
Scan Type :	Use Detail Scanner Settings	•
Resolution :	Use Detail Scanner Settings	<b>_</b>
		10 0 0
	Deta	all Scanner Settings
Enable continuous	s scanning	•
Close dialog after s	scanning with the Scan button	
Display scanned in	nages immediately after scanning	
Save files duri	ng scanning	
Minimize the main	window	
Mark pages when	error is detected by Automatic Image Quality Checker	(Depend on Hardware)
Mark pages when	multifeed is detected	(Depend on Hardware)
	OK Cancel	Apply Help

6. Select the options to match the screen below then click the Advance button.

TWAIN Driver (32)		×
	Image Scanner: fi-6130Zdj #2 Setting Files: 00 : Current S	Browse
1 2 3	Resolution 300 x 300	Scan Type: ADF (Duplex)
4 5 0	300 ≚ dpi ⊡ Predefine	Paper Size:
7	Enable Software IPC	Enable Multi Image     Individual Setting
	Image Mode:	■ Brightness: ■ 128
13 14 I Scanning Area[ inch ]	Black/White: Static Threshold	Threshold:
Left: 0.000 Top: 0.000 Width: 8.500 Length: 11.000	Halftone:	Contrast. [128
Scan Preview		Advance
OK Reset	Option	Help About
TWAIN driver. Press [F1] key to show help.		Data Size about: 1.1MB

7. Select Sharp for the Gamma Pattern then click the Image Filter Tab.

Advance (Duplex)	
Image Mode: Black & White	• Static Threshold
Gray   Image Filter   Gamma	
Gamma Pattern: Custom: More White Level Follower:	Normal Normal Soft Sharp Download F ern Custom
Dropout Color:	Green 💌
Reverse	
Default	OK Cancel Help

8. Check the Emphasis Mid button. Emphasis Low and Smoothing are alternatives to consider. Click OK.

Advance (Duplex)	×
Image Mode: Black & White 🗨 - Static Threshold	
Gray Image Filter Edge Processing O None C Edge Extract C Smoothing (Background Removal) Gray C Emphasis High C Emphasis Low	
Mirror Image	
🗖 Mirror	
SDTC	
DTC Variance:	2
Default	Cancel Help

9. Click the Option button

wain Driver (32)			X
0 1 2 3 4 5 6 7 8	Image Scanner: fi-6130Zdj #2		Browse
•	Setting Files: 00 : Current S	Setting 🗾	Config
	Resolution	Scan Type:	
3	2 300 x 300	ADF (Duplex)	-
4	300 📩 dpi	Paper Size:	
	Predefine	Letter (8.5x11in)	•
7	🔲 Enable Software IPC	🔲 Enable Multi Imag	e
\$ <u> </u>	Duplex	Individual Setting	
10	Image Mode:	Brightness:	
	Black & White	- <u> </u>	- <u>128</u>
13	Black/White:	Threshold:	
14	Static Threshold	- — )—	- 128
Left: 0.000 Top: 0.000	Halftone:	Contrast:	- 128
Width: 8.500 Length: 11.000	1		-
Scan <b>Preview</b>		Adva	ince
OK Reset	Option.	Help	About
Specify the unique functions of specified image sca	nner. 🦰	Data Size about:	1.1MB

10. Select Automatic Page Size Detection as shown below.

Option	×
Rotation Job/Cache Generic Startup Filter Compression	
Flip Side Botation	ОК
	Cancel
Generation Book	Help
Rotation	
Rotation Degree: Hole punch removal:	
0.0 degree 💌 Do not remove	
Automatic Size and Skew detection :	
Disable	
Disable	
Automatic Page Size Detection 0:Rectangular document	
Black Background 1:Document without tab	
0 3 2:Document with tab	
Overscan     Overscan     Overscan	round color

11. The page size detection accuracy should be set to 2 then click the Filter tab.

Option	X
Rotation Job/Cache Generic Startup Filter Compression	
Flip Side Rotation	ОК
Book Fanfold	Cancel
Rotation Hole punch removal:	
0.0 degree  Do not remove	
Automatic Size and Skew detection : Automatic Page Size Detection 💌	
Priority:  Speed Accuracy	
2 0:Rectangular document 1:Document without tab	
0 3 2:Document with tab Overscan 3:Document in dark background color	

12. Click the Page Edge Filler option then click on the Property button.

Option	×
Rotation       Job/Cache       Generic       Startup       Filter       Compression         Digital Endorser       Page Edge Filler       Image: Compression       Image: Compression       Image: Compression         Page Edge Filler       Image: Compression       Image: Compression       Image: Compression       Image: Compression         Property       Image: Compression       Image: Compression       Image: Compression       Image: Compression	OK Cancel Help

13. In the Filled Area section, enter .1 in each box. Click OK.

Page Edge Filler
Color Co

14. Click OK twice more to get to the screen shown below. Click on the File format and Name scheme tab.

Profile Editor					×
General Scan File for	nat and Name scheme	Document separation	Filter	Linking	
Scanner : FUJITSU	fi-6130Z			Select Scanner	
Parameters					
Pixel Type : (	Use Detail Scanner Set	tings		•	
Paper Size : (	Use Detail Scanner Set	tings		•	
Scan Type : (	Use Detail Scanner Set	tings		•	
Resolution :	Use Detail Scanner Set	ings		•	
			Detail	Scanner Settings	
Enable continuous s	canning				
Close dialog after sc	anning with the Scan bu	tton			
Display scanned ima	ges immediately after so	anning			
Save files during	scanning				
Minimize the main wi	ndow				
Mark pages when er	ror is detected by Auton	natic Image Quality Chec	ker (	(Depend on Hardware)	
Mark pages when m	ultifeed is detected		(	(Depend on Hardware)	
		OK Cano	el	Apply	lelp

#### Suggested ScandALL PRO Settings for ProSystem fx Scan

15. Select the MultiPage Tagged Image File Format (\*.tif), Monochrome color format, and CCITT G4 compression, and then click the Filter tab.

Profile Editor	-	x
General Scan	File format and Name scheme Document separation Filter Linking	
Parameters		
Output c	color and monochrome simultaneously	
Sort colo	or and monochrome automatically	
Folder Name	c : CAProCustom for Soan/ProSustam for Soan Shared Umport	
Fijder Maria	in second	
File Name :	Indeptor/	
	Name Rule	
File Format	MultiPage Tagged Image File Format (".tif)	
	PDF Option	
<u>C</u> olor Forma		
C <u>o</u> mpression		
``	JPEG Quality	
🔲 U <u>s</u> e a ba	atch folder	
- File Overwrite	e Warning	
O Display co	onfirmation dialog on file overwrite	
🔘 Do not dis	splay confirmation dialog on file over <u>w</u> rite	
	OK Cancel Apply Help	

16. Highlight Page Edge Filler on the left then click the >>(A) button to move it to the right.

ierai   Sci	an	File forma	at and Name	scheme	Docur	ment sepa	ration	Filter	Linking	
vallable Fi	iters	8				Filters for	Scanni	ng :		
Drientation	Corr	ection		>>(A)						Up
legative I	mage	3								Down
(ertical Fly	p			0	5					
				6	1					
one OC	R					1				
Enable	e Zor	ne OCR							Sett	irigs
Barcode	recog	ntion							Cont	
Perfor	mba	rcode reci	ogntion						Sett	Inge

17. Click the OK button

Profile Editor						×
General Scan File format and N	lame scheme	Docur	ment separation	Filter	Linking	
Available <u>F</u> ilters :			Filters for <u>S</u> canr	ning :		
Orientation Correction Negative Image Mirroring Vertical Flip	>>(A)		Page Edge Filk	er.		<u>Up</u> jown
Zone OCR					Settings	
Barcode recognition					S <u>e</u> ttings	
		ОК	Can	cel	Apply	Help

18. The new profile is highlighted. Click the Close button.

🔉 ScandAll PRO - Untitled		
File Scan Edit View Page Mark Zoom Tool Help		
] 🗁 🖓   Landard 🖓 🖓   🐨 🖓 🐨   🖚 🖡   49		🗜 😁 🐜 💆
Batch Scan Settings	X	
Profile :		
Profile Type	Add	
ProSystem fx Scan shared		
Archived documents Templa	ate Copy	
Barcode based job separation Templa	ate Edit	
Batch scanning for monochrome documents Templa	ate Delete	
Output color-monochrome simultaneously Templa	ate	
Patchcode-based job separation Templa	ate	
Scan color documents at one time Templa	ate	
Searchable PDF Templa	ate Up	
	Down	
* * * * * * * * * *		
a a a a a a a a a	a a a a a a a	
	-	
Date updated: 02/16/12 12:39:13 AM		
Scan	Close Help	
* * * * * * * * *		
Pandu	1v1 no image	

19. Click the drop down arrow to select the profile just created.

ScandAll PRO - Untitled		
File Scan Edit View Page Mark Zoom Tool	Help	
	* 41 43 <b>3 3 3 4</b>	
Pro System fx Scan		
6 . 6 . 6 . 6 . 6 . 6 . 6 . 6 . 6 . 6		
* * * * * * * * * * * * * * *		
a.a.a.a.a.a.a.a.a.a.a.a		
Ready	1x1	no image

20. Click on the Start Batch Scan icon to start scanning. The document pages will start to appear on the left. An example is shown on the next page.

🔉 ScandAll PRO - Untitled		
File Scan Edit View Page Mark Zoom Tool Heln		
🚘 너 🕼   🙃   📾 🖳 🔣	📲 🛅   🌮 🚱   🧾	
		🕩 💬   📖 🚬   🎛 🗂 👘   🖉
Start Batch Scan		
*********		
Ready	1x1	no image

# Suggested ScandALL PRO Settings for ProSystem *fx*<sup>®</sup> Scan

Second All DBO Secon Quality	··· Controlling co001 tif [1 / 16]			
ScandAll PRO - Scan Qualit	we Mark Zeem Teel Hele			
<u>File Scan Edit View Pa</u>	ge <u>Mark Zoom Tool H</u> elp			
	- 🖼   🔣 🛛 🔤 🖻	🔲   🐶 🔇 🔛		
ProSystem fx Sca	n 🔜 🧔 💦 📑 🖓 🚰			25% 🗸 🚺 🗭
	PO BOX 6243			
	SIOUX FALLS SD 57117-6243	And An Tenedological Carlor C. C. and Change State (Second Sciences)		<b>^</b>
are Note				
		CitiMortgage, Inc.		
		For Information Call: 1-800-283-7918 Customer Service Hours:	*	
1		Monday - Friday 7:00 AM - 12:00 M Saturday - 8:00 AM - 7:00 PM ET	fidnight ET	
	Conception of the second	Sunday - 12:00 PM - 11:00 PM ET Or visit our Website at www.citimortga	age.com ≩ <sub>3</sub> ,	
THE STATE OF THE S			84460 M	
	Account Number:	Property Address:	4-Minister	
2			ALC: NOT	=
-		TED (if checked)		
	RECIPIENT'S/LENDER'S name, address, and telephone number CITIMORTGAGE. INC.	Caution: The amount shown     may not be fully deductible by	Martana	
	PO BOX 6243 SIOUX FALLS SD 57117-6243	you. Limits based on the loan amount and the cast and value of the secured property may apply. 2011	Interest	
No. 2004 Annual Control Contro	CUSTOMER SERVICE: 1-800-283-7918**	Also, you may only deduct interest to the entern it was incurred by you, actually paid by you, and not form 1098	Statement	
S	RECIPIENT'S federal identification no. PAYER'S social security number 13.3222578 VXLVL	Mortgage interest received from payer(s)/borrower(s)*     6 505 12	Copy B	
	PAYER'S/BORROWER'S name	2 Points paid on purchase of principal residence	The information in boxes 1, 2, 3, and 4 is important tax is formation and is being	
	HERE AND AND AND A	\$	furnished to the Internal Revenue Service. If you are required to file a return, a	
CANON NEWSCOM	Street address (including apt. no.)	3 Refund of overpaid interest. \$	negligence penalty or other sanction may be imposed on you if the IRS determines	
	City, State and ZIP code	4 Mortgage insurance premiums \$	tax results because you overstated a deduction for this montpage interest or for O	
4	Account number (see instructions)	5	these points or because you Gid not report this refund of interest on your refurn.	
	Form 1098 (kee	p for your records) Department of the Treasury	- Internal Revenue Service	
		SEE REVERSE SIDE FOR ADDITIONAL INFOR	MATION	
	PRINCIPAL BALANCE INFORMATION	RMATION REAL ESTATE TAX INFORM		
	Puesto data da an rendea lutencer		69 400 DH	•
Ready		1x1 25%	1 / 16 Pages	no mark